Material Safety Data Sheet

Product Name: Eekay Acrylic Thinner

Section 1 Product and Company Identification

Product Name: Eekay Acrylic Thinner

Manufacturer: Eekay Products and Company, Ishwar Krupa, Chittaranjandas Road, Near Ramkrishna Hotel, Ramnagar, Dombivli East, Dist Thane, Maharashtra, India. 421201

Information

Telephone: 91 - 251 - 2861920

Email: sales@eekaypaints.com

Section 2 Composition/Information on Ingredients

CHEMICAL CHARACTERIZATION : Acrylic Thinner

HAZARDOUS INGREDIENTS

Ingredient NameCAS NumberXylene0001330-20-07

Section 3 Hazards Identification

Eye Hazards: Causes eye irritation.

Skin Hazards: May Cause skin irritation.

Ingestion Hazards: Aspiration hazard if swallowed. Can enter lungs and cause damage.

Inhalation Hazards: May cause respiratory tract irritation.



INDUSTRIAL & DECORATIVE PAINTS, PRIMER & THINNER

Section 4

First Aid Measures

After Eye Contact:

In case of contact, hold eyelids apart and immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately if irritation develops and persists.

After Skin Contact:

In case of contact, immediately flush skin with plenty of water for at least 15 minutes.

After Ingestion:

Do not induce vomiting. Get medical attention immediately.

After inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration.

Section 5 Fire Fighting Measures

Flash Point : 30° C
Flammability Class : NCMB

Extinguishing Media : In case of fire, use foam, dry chemical, or CO₂.

Fire Fighting Instruction: Firefighters should wear self-contained breathing apparatus

and fill protective gear.

Section 6 Accidental Release Measures

Use appropriate personal protective equipment (PPE) avoid release to the environment. Clean up spill immediately.



INDUSTRIAL & DECORATIVE PAINTS, PRIMER & THINNER

Section 7 Handling and Storage

Handling and Storage : Keep containers tightly closed. Use only with adequate

Ventilation. Keep out of reach of children.

Handling Precaution : Avoid contact with eyes. Avoid contact with skin and clothing.

Storage Precaution : Store in dry place.

Work / Hygienic Practices: Use good personal hygiene.

Section 8 Exposure Controls/Personal Protection

Engineering Controls: Use with adequate general and local exhaust ventilation.

Eye / Face Protection : Safety Glasses with side shields or goggles.

Skin Protection: Chemical – resistant gloves. Lab coat or other work clothing.

Launder before reuse.

Respiratory Protection: In areas where the P.E.L.s are exceeded, use a properly

fitted NIOSH-approved respirator

Hazards Decomposition products : N / AV

Section 9 Toxicological Information

Condition Aggravated by exposure : Asthma, Allergies.

Section 10 Ecological Information

No data available.



INDUSTRIAL & DECORATIVE PAINTS, PRIMER & THINNER

Section 11 Physical and Chemical Properties

Appearance : Water White

Odor : Aromatic odor

Chemical Type : Mixture

Melting Point : N /AV

Boiling Point : N /AV

Specific Gravity : 0.78

Packing Density : N / AV

Vapor Pressure : 1200

Vapor Density : N / AV

Solubility : N / AV

Evaporation Rate : N / AV

Viscosity at 25°c : 95 KU

Section 12 Stability and Reactivity

Stability : Stable

Hazards Polymerization : Will not occur

Incompatible Materials : Strong acids or alkaline material

Section 13 Disposal Considerations

Depose in accordance with applicable federal, state and logical government regulation



INDUSTRIAL & DECORATIVE PAINTS, PRIMER & THINNER

Section 14

Transport Information

Not regulated per D.O.T

Section 15

Regulatory Information

U. S. Regulation information

All ingredients of this product are listed or are excluded from listing under the U.S.

Toxic Substances Control Act (TSCA) Chemical substance inventory.

SARA Hazards Classes: Acute Health Hazard

SARA Section 313 notification:

This product does not contain any ingredients regulated under section 313 of the Emergency

Planning and community Right - TO - know Act of 1986 or 40 CFR 372.

Section 16

Other Information

HMIS Rating:

 Health
 :
 2

 Fire
 :
 1

 Reactivity
 :
 0

 PPE
 :
 C

Disclaimer

The data in this Material Safety Data Sheet relates only to the specific material herein and does not relate to use in combination with any other material or in any process. The information set forth herein is based on technical data that Eekay Products and Company believes to be reliable as of the date hereof. Since conditions of use are outside our control, we make no warranties, express or implied and assume no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under or a recommendation to infringe any patent.