



Manufacture of  
**INDUSTRIAL & DECORATIVE PAINTS, PRIMER & THINNER**

# Material Safety Data Sheet

Product Name: E-Chloro 520 Chlorinated Rubber Based Paint

## Section 1 Product and Company Identification

**Product Name:** E-Chloro 520 Chlorinated Rubber Based Paint

**Manufacturer:** Eekay Products and Company, Ishwar Krupa, Chittaranjandas Road, Near Ramkrishna Hotel, Ramnagar, Dombivli East, Dist Thane, Maharashtra, India. 421201

### Information

Telephone: 91 – 251 – 2861920

Email : [sales@eekaypaints.com](mailto:sales@eekaypaints.com)

## Section 2 Composition/Information on Ingredients

**CHEMICAL CHARACTERIZATION** : Chlorinated Rubber Based Paint.

**HAZARDOUS INGREDIENTS** :

<u>Ingredient Name</u>	<u>CAS Number</u>
Chlorinated Rubber	0009006-03-05
Chlorinated Para fine wax	0085535-85-09
Titanium Dioxide	0013463-67-07
Yellow Oxide	0020344-49-04
China Clay	0001332-58-07
Talc	0063210-56-00
Xylene	0001330-20-07



Manufacture of  
**INDUSTRIAL & DECORATIVE PAINTS, PRIMER & THINNER**

### Section 3 Hazards Identification

- Eye Hazards** : Causes eye irritation.
- Skin Hazards** : May Cause skin irritation.
- Ingestion Hazards:** Aspiration hazard if swallowed. Can enter lungs and cause damage.
- Inhalation Hazards:** May cause respiratory tract irritation.

### Section 4 First Aid Measures

After Eye Contact:

In case of contact, hold eyelids apart and immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately if irritation develops and persists.

After Skin Contact:

In case of contact, immediately flush skin with plenty of water for at least 15 minutes.

After Ingestion:

Do not induce vomiting. Get medical attention immediately.

After inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration.

### Section 5 Fire Fighting Measures

- Flash Point** : 30° C
- Flammability Class** : NCMB
- Extinguishing Media** : In case of fire, use foam, dry chemical, or CO<sub>2</sub> .
- Fire Fighting Instruction** : Firefighters should wear self-contained breathing apparatus and fill protective gear.



Manufacture of  
**INDUSTRIAL & DECORATIVE PAINTS, PRIMER & THINNER**

## **Section 6** Accidental Release Measures

Use appropriate personal protective equipment (PPE) avoid release to the environment.  
Clean up spill immediately.

## **Section 7** Handling and Storage

Handling and Storage : Keep containers tightly closed. Use only with adequate ventilation.

Keep out of reach of children.

Handling Precaution : Avoid contact with eyes. Avoid contact with skin and clothing.

Storage Precaution : Store in dry place.

Work / Hygienic Practices: Use good personal hygiene.

## **Section 8** Exposure Controls/Personal Protection

**Engineering Controls** : Use with adequate general and local exhaust ventilation.

**Eye / Face Protection** : Safety Glasses with side shields or goggles.

**Skin Protection** : Chemical – resistant gloves. Lab coat or other work clothing.  
Launder before reuse.

**Respiratory Protection:** In areas where the P.E.L.s are exceeded, use a properly fitted NIOSH-approved respirator

Hazards Decomposition products : N / AV

## **Section 9** Toxicological Information

Condition Aggravated by exposure : Asthma, Allergies.

## **Section 10** Ecological Information

No data available.



Manufacture of  
**INDUSTRIAL & DECORATIVE PAINTS, PRIMER & THINNER**

## **Section 11**      Physical and Chemical Properties

Appearance	:	White & Assorted
Odor	:	Aromatic odor
Chemical Type	:	Mixture
Melting Point	:	N /AV
Boiling Point	:	N /AV
Specific Gravity	:	1.20
Packing Density	:	N / AV
Vapor Pressure	:	1200
Vapor Density	:	N / AV
Solubility	:	N / AV
Evaporation Rate	:	N / AV
Viscosity at 25°C	:	95 KU

## **Section 12**      Stability and Reactivity

Stability	:	Stable
Hazards Polymerization	:	Will not occur
Incompatible Materials	:	Strong acids or alkaline material

## **Section 13**      Disposal Considerations

Depose in accordance with applicable federal, state and logical government regulation



Manufacture of  
**INDUSTRIAL & DECORATIVE PAINTS, PRIMER & THINNER**

## **Section 14**                      Transport Information

Not regulated per D.O.T

## **Section 15**                      Regulatory Information

U. S. Regulation information

All ingredients of this product are listed or are excluded from listing under the U. S. Toxic Substances Control Act (TSCA) Chemical substance inventory.

SARA Hazards Classes : Acute Health Hazard

SARA Section 313 notification :

This product does not contain any ingredients regulated under section 313 of the Emergency planning and community Right – TO – know Act of 1986 or 40 CFR 372.

## **Section 16**                      Other Information

HMIS Rating :

Health	:	2
Fire	:	1
Reactivity	:	0
PPE	:	C

Disclaimer

The data in this Material Safety Data Sheet relates only to the specific material herein and does not relate to use in combination with any other material or in any process. The information set forth herein is based on technical data that Eekay Products and Company believes to be reliable as of the date hereof. Since conditions of use are outside our control, we make no warranties, express or implied and assume no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under or a recommendation to infringe any patents.